

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24620

Lake : Goldeneye Pond

Applicant : *Indiana Department of Natural Resources
Division of Water
Dale Gick PE
402 West Washington Street Room W264
Indianapolis, IN 46204-2641

Description : An existing CMP drop inlet spillway at the south end of the pond will be removed and replaced with a new concrete drop inlet structure. Also, an existing CMP drop structure at the north end of the pond will be removed and replaced. The entire length of 30" CMP will be grouted. Additional work in the floodway will consist of clearing and regrading existing embankments to construct a 3:1 slope on the downstream slope of the dam, install toe drain, place riprap along upstream slope, regrade parking area, and construct a new boat ramp. Details of the project are contained in information and plans received at the Division of Water on November 29, 2007 and December 31, 2007.

Location : East end of Goldeneye Pond Dam off of East Epworth Forest Road between State Road 13 and State Road 5
near North Webster, Tippecanoe Township, Kosciusko County
NW¼, Section 12, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4576942 North, 611841 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24636

Stream : West Fork White River

Applicant : Maurice Cook
1422 N Co Rd 275 E
New Castle, IN 47362

Description : Topsoil, sand, and gravel deposited by high water will be excavated from approximately 11 acres along the east bank of West Fork White River. No work is proposed in channel. Details of the project are contained in information and plans received at the Division of Water on December 11, 2007 and December 20, 2007.

Location : Begining at the Southport Road stream crossing and extending approximately 200' east and 1100' south
near Indianapolis, Decatur Township, Marion County
NE¼, NE¼, NE¼, Section 18, T 14N, R 3E, Maywood Quadrangle
Quad Code: 3908662
UTM Coordinates: Downstream 4390551 North, 565581 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24647

Stream : Cicero Creek

Applicant : *Indiana Department of Transportation
Richard L Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216

Description : A bridge rehabilitation which consist of bridge deck overlay with full and partial-depth patching, minor beam spalling repair, end of deck reconstruction and concrete bridge approach replacement. These improvements are being made to extend the life of the existing bridge in conjunction with the State Road 38 road repair. Tree clearing within 10' of the bridge superstructure is planned. Details of the project are contained in information and plans received at the Division of Water on December 17, 2007.

Location : At the State Road 38 crossing over Cicero Creek
DOWNSTREAM: near Noblesville, Noblesville Township, Hamilton County
SW¼, NW¼, NE¼, Section 35, T 19N, R 4E, Noblesville Quadrangle
Quad Code: 4008611
UTM Coordinates: Downstream 4434402 North, 581753 East
UPSTREAM:
UTM Coordinates: Upstream 4434420 North, 581755 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24659

Stream : West Fork White River

Applicant : Veolia Water Indianapolis, LLC
Dan Reidy
1220 Waterway Boulevard
PO Box 1220
Indianapolis, IN 46206-2157

Description : Temporary mobile pipes will be placed above ground within the West Fork White River floodway. The pipes and pumps will be used to pump water from the West Fork White River when more water is needed at the Indianapolis Water Treatment Plant for drinking water treatment. When the pipes and pumps are not in use, they will be removed from the West Fork White River. Four to six 12" flexible pipes approximately 80' long on the suction side of the pumps and approximately 480' long on the discharge side of the pumps will be used. There will be two 6 to 8 MGD mobile pumps. The flexible pipe will connect to a proposed 30" well line in a proposed 8' by 24' junction vault. The 30" well and junction vault is permanent construction outside of the floodway. Details of the project are contained in information and plans received at the Division of Water on January 4, 2008.

Location : Extending approximately 1650' to 2290' west of White River Parkway and East Riverside Drive intersection
near Indianapolis, Wayne Township, Marion County
NE¼, SE¼, NE¼, Section 33, T 16N, R 3E, Indianapolis West Quadrangle
Quad Code: 3908672
UTM Coordinates: Downstream 4404882 North, 568622 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24667

Stream : Gas Creek

Applicant : City of Greensburg
314 West Washington Street
Greensburg, IN 47240-1433

Description : As part of the Lincoln Street reconstruction project an outfall structure and other road improvements located 760' east of Lincoln Street and Barachel intersection will be constructed in the floodway of Gas Creek. A 55" by 34" elliptical storm sewer pipe with an area of 10.2 cubic feet will be installed to provide a drainage route for storm runoff into Gas Creek. Excavation and fill will be involved with the road improvements as well. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on January 10, 2008.

Location : Extending 760' to 980' east and 25' north of Lincoln Street and Barachel Lane intersection

near Greensburg, Washington Township, Decatur County
NE¼, NW¼, NW¼, Section 1, T 10N, R 9E, Forest Hill Quadrangle
Quad Code: 3908535
UTM Coordinates: Downstream 4356874 North, 631310 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24669

Stream : Indiana Harbor Canal

Applicant : *Indiana Department of Transportation
Richard L Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216

Description : The existing 3-span prestressed concrete box beam bridge (Indiana Department of Transportation structure # 312-45-5403B.) will be replaced with a 147' long 3-span prestressed concrete box beam bridge with span lengths of 48', 49', and 48'. The spill through abutments will have 2:1 side slopes armored with riprap over geotextile fabric. The abutments and piers will not be skewed. The existing structure will be completely removed. The approach roads will not be elevated above existing grade. The only anticipated work within the channel is for the placement of riprap for bank stabilization and pier installation. The total project length is approximately 600 feet. No additional permanent or temporary right-of-way is required for this project. Details of the project are contained in information and plans received at the Division of Water on January 11, 2008.

Location : At the State Road 312 stream crossing
near East Chicago, North Township, Lake County
SW¼, NW¼, SW¼, Section 28, T 37N, R 9W, Whiting Quadrangle
Quad Code: 4108764
UTM Coordinates: Downstream 4608739 North, 460769 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24670

Stream : Wabash River

Applicant : Larry McCullough
336 West Lorey Drive
West Terre Haute, IN 47885-9539

Description : A replacement of a mobile home is proposed. Specific project information will be added to the description as the application is further reviewed. No details or plans are contained in information received at the Division of Water on January 15, 2008. Details of the project are contained in information and plans received at the Division of Water on January 15, 2008.

Location : 411 West Center Drive; approximately 775' west and 50' north of the South Sampson Place and West Center Drive intersection
near West Terre Haute, Sugar Creek Township, Vigo County
NW¼, NW¼, NW¼, Section 28, T 12N, R 9W, Terre Haute Quadrangle
Quad Code: 3908744
UTM Coordinates: Downstream 4368083 North, 463525 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24672

Stream : Wabash River

Applicant : Larry McCullough
336 West Lorey Drive
West Terre Haute, IN 47885-9539

Description : A replacement of a mobile home is proposed. No details or plans are contained in information received at the Division of Water on January 16, 2008. Details of the project are contained in information and plans received at the Division of Water on January 16, 2008.

Location : 359 West Center Drive; approximately 550' west and 50' north of the South Sampson Place and West Center Drive intersection.
near Terre Haute, Sugar Creek Township, Vigo County
NW¼, NW¼, NW¼, Section 28, T 12N, R 9W, Terre Haute Quadrangle
Quad Code: 3908744
UTM Coordinates: Downstream 4368084 North, 463557 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24673

Stream : Souders Branch

Applicant : Donavon Crawford
22514 Souders Road
Borden, IN 47106-9704

Description : A proposed bridge, located in a rural area, serves a single residential structure. The proposed bridge will be a single span and have reinforced concrete substructure. The superstructure will be steel beams with a wood deck and an overall depth of 17". The overall width of the proposed bridge is 12'. The proposed bridge opening is 28' wide by 5.5' high. The top of the deck elevation of the proposed bridge 630.3'. The required fill for the channel crossing will be obtained off site. No fill will be place further than 10' from the bridge abutments. Details of the project are contained in information and plans received at the Division of Water on January 16, 2008.

Location : Approximately 5400' east and 2200' north of the Souders Road and Daisy Hill Road intersection
near Borden, Wood Township, Clark County
NW¼, SW¼, NW¼, Section 35, T 1N, R 6E, Borden Quadrangle
Quad Code: 3808548
UTM Coordinates: Downstream 4259874 North, 592598 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24675

Stream : Unnamed Tributary Little Honey Creek

Applicant : Gradex Inc
3685 Priority Way South, Suite 140
Indianapolis, IN 46240-3809

Description : A temporary road and stream crossing is proposed. A temporary haul road and stream crossing are proposed to be installed along UNT to Little Honey Creek. Approximately 600 linear feet of the haul road is within the flood fringe of the UNT to Little Honey Creek. Approximately 1,200 cubic yards of fill are proposed to be added to make the haul road usable. The site will be returned to existing grade after completion of the project. Details of the project are contained in information and plans received at the Division of Water on January 18, 2008.

Location : Approximately 4300' south and 1300' east of the East Road and South Road intersection extending approximately 1300' northeast and 300' southeast
DOWNSTREAM: near Terre Haute, Honey Creek Township, Vigo County
E½, SW¼, Section 12, T 11N, R 9W, Seelyville Quadrangle
Quad Code: 3908743
UTM Coordinates: Downstream 4362205 North, 468898 East
UPSTREAM: Vigo County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24676

Stream : White River

Applicant : Hoosier Energy Rural Electric Cooperative Inc
William C Ware
7398 North State Road 37
Bloomington, IN 47404-9424

Description : Approximately 6,000 cubic yards of fill material will be placed within the 100-year floodplain of the White River to construct an electrical substation and microwave tower site. The area of fill and stone will cover an area approximately 362 feet long by 306 feet wide by 1.6 feet high. Details of the project are contained in information and plans received at the Division of Water on January 18, 2008.

Location : Beginning at the County Road 875 North and North Pahmeier Road crossing and extending approximately 280' north and 325' west

DOWNSTREAM: near Sandborn, Vigo Township, Knox County
SE $\frac{1}{4}$, SE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 22, T 5N, R 7W, Plainville Quadrangle
Quad Code: 3808772
UTM Coordinates: Downstream 4300783 North, 485399 East
UPSTREAM: at Knox,

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24677

Stream : Unnamed Tributary Sugar Creek

Applicant : Morton Farms LLC
2090 East State Road 47
Lebanon, IN 46052-9364

Description : An earthen dam will be constructed across the valley of an Unnamed Tributary Sugar Creek to create a 18 acre recreational lake. The dam will be approximately 1320' long and 25.9' high with a crest elevation of 894.5', NGVD. The upstream shoreline will be lined with 6" riprap over geo-textile. A 8.2' deep core trench with a 12' bottom width will be excavated and backfilled upon completion. The principal spillway will consist of a 5' by 5' reinforced concrete drop box and 24" HDPE pipe. The primary spillway pipe discharges to a concrete grouted riprap stilling basin which exits to a 4' wide, 1.5' deep riprap channel at an approximate 4% slope. The structure is designed to maintain a normal pool elevation of 890.0', NGVD. An emergency spillway will be constructed southwest of the proposed dam. It will have a 100' width and a control elevation of 892.1', NGVD. Other structural features include a 12" canal gate installed inside the drop box to enable the water level to be lowered approximately 6' for maintenance and emergency purposes. Details of the project are contained in information and plans received at the Division of Water on January 22, 2008.

Location : Approximately 800' upstream of the confluence with Sugar Creek
near Mechanicsburg, Clinton Township, Boone County
SW¼, Section 16, T 20N, R 1E, Mechanicsburg Quadrangle
Quad Code: 4008624
UTM Coordinates: Downstream 4447373 North, 548617 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24678

Stream : Ohio River

Applicant : Texas Gas Transmission, LLC
Beth Ludwig
3800 Frederica Street
Owensboro, KY 42301-6985

Description : An 8" diameter natural gas pipeline will be placed beneath Ohio River to supply natural gas to a new ethanol plant near Mount Vernon. The line will be placed by the directional drill method. It will have approximately 50' of cover beneath the streambed. Details of the project are contained in information and plans received at the Division of Water on January 22, 2008.

Location : The Project is located approximately at river mile 800.25
near Evansville, Union Township, Vanderburgh County
NE¼, Section 25, T 7S, R 11W, Evansville South, IN-KY Quadrangle
Quad Code: 3708785
UTM Coordinates: Downstream 4193787 North, 447849 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : LM-156

Lake : Lake Michigan

Applicant : Whiting-Robertsdale Boat Club
Guy P Benne, Vice-Commodore
PO Box 749
Whiting, IN 46394-1311

Description : To dredge by mechanical means approximately 1500 cubic yards of material from the small boat basin and boat launch ramp area to a depth of 5' below the existing water level of 577.46', International Great Lakes Datum (IGLD 1985), based on the Low Water Datum elevation of 577.5', IGLD 1985. Thereafter dredge a maximum of 1500 cubic yards annually, if necessary. The dredged material will be deposited above the Ordinary High Watermark (581.5', IGLD 1985) in an upland disposal site at the Whiting City Garage, with no return to any waterway or wetland. The purpose of the proposed dredging is to provide adequate water depths for navigation and boat launching. This project was previously approved under LM-130. Details of the project are contained in information and plans received at the Division of Water on January 10, 2008.

Location : Lot 1, Whiting-Robertsdale Boat Club
at Whiting, North Township, Lake County
NW¼, NE¼, NW¼, Section 8, T 37N, R 9W, Whiting Quadrangle
Quad Code: 4108764
UTM Coordinates: Downstream 4614475 North, 459650 East

Statute/Rule : Navigable Waterway Act, with the associated IC 14-29-1, Navigable Waterway Rule, 312 IAC 6

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20930

Lake : Jimmerson Lake

Applicant : Gary & Dianne Knight
4017 Willshire Court
Fort Wayne, IN 46815-5330

Description : A 19' x 34' underwater beach will be constructed across 19' of the applicant's frontage by placing a uniform 6" layer of pea gravel on the lakebed. Also, a 12.5' by 7' underwater beach will be constructed across 12.5' of the applicant's 70' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on January 10, 2008.

Location : Lot 96 of Jimmerson Shores Mobile Home Park
near Nevada Mills, Jamestown Township, Steuben County
NE¼, SE¼, SE¼, Section 30, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4620260 North, 660521 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20933

Lake : Hamilton Lake

Applicant : Thomas R Thompson
1620 Lane 150
Hamilton, IN 46742

Description : A concrete seawall will be refaced with a layer of concrete across 36' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on January 10, 2008.

Location : 1620 Lane 150; Lot 41 of Oakwood Shores Addition
near Hamilton, Otsego Township, Steuben County
NW¼, NE¼, NE¼, Section 33, T 36N, R 14E, Hamilton Quadrangle
Quad Code: 4108458
UTM Coordinates: Downstream 4601072 North, 673869 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20934

Lake : Winona Lake

Applicant : Kosciusko County 4H and Community Fair
N. Sue Goshert
PO Box 1093
Warsaw, IN 46581-1093

Description : A total of four (4) new temporary group piers will be placed at the Kosciusko County Fairgrounds immediately west of the existing concrete boat ramp. Two (2) piers will extend 72' from the shoreline and have a maximum of four (4) boats docked along each pier. Two (2) piers will extend 120' from the shoreline and will have a maximum of 16 boats docked along each pier. The new group piers will be installed May 1st and removed October 1st of each year. Details of the project are contained in information and plans received at the Division of Water on January 11, 2008.

Location : At the existing Kosciusko County Fairgrounds Public Access Site
at Winona Lake, Wayne Township, Kosciusko County
SE¼, NE¼, NW¼, Section 16, T 32N, R 6E, Warsaw Quadrangle
Quad Code: 4108527
UTM Coordinates: Downstream 4565024 North, 597619 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20935

Lake : Irish Lake

Applicant : Fredrick D Hoffert
56 EMS B 38 Ln
Joes Mapes and Jed Pearson
Leesburg, IN 46538

Description : A glacial stone seawall will be constructed across 125' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on January 11, 2008.

Location : 56 EMS B38B Lane
near Leesburg, Tippecanoe Township, Kosciusko County
SW¼, NE¼, SW¼, Section 20, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4572683 North, 605475 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20937

Lake : Meteer Lake

Applicant : Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street
ICG South, Room 273
Indianapolis, IN 46204-2781

Description : A 15' wide by 88' long prefabricated concrete boat ramp will be constructed along 15' of the applicant's frontage. The ramp will extend approximately 40' lakeward of the lake's legal shoreline. Approximately thirty (30) tons of riprap will be placed into the lake as a base for the new ramp. Details of the project are contained in information and plans received at the Division of Water on January 15, 2008.

Location : Pine Knob Park on the Southwest corner of the lake
near Howe, Lima Township, LaGrange County
NW¼, NW¼, SE¼, Section 28, T 38N, R 10E, Mongo Quadrangle
Quad Code: 4108563
UTM Coordinates: Downstream 4619767 North, 635323 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20939

Lake : Oliver Lake

Applicant : Richard B Rivir
3261 Sable Ridge Drive
Bellbrook, OH 45305-8728

Description : A concrete seawall will be refaced with a layer of concrete across 214' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on January 18, 2008.

Location : 4760 South 060 East; Lots 13 and 14 of Long View Second Addition
near Wolcottville, Johnson Township, LaGrange County
NW¼, SW¼, SE¼, Section 18, T 36N, R 10E, Wolcottville Quadrangle
Quad Code: 4108553
UTM Coordinates: Downstream 4603552 North, 632232 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20940

Lake : Sylvan Lake

Applicant : Randall S Howenstine
1540 Irene Ave
Fort Wayne, IN 46808-2075

Description : A concrete seawall will be refaced with a layer of concrete across 40' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information received electronically at the Division of Water on January 22, 2008 and in plans and information received at the Division of Water on January 25, 2008.

Location : 1430 North Shore Drive; Lot 31 of O'Connor Beach Addition
near Rome City, Orange Township, Noble County
NE¼, SW¼, NE¼, Section 15, T 35N, R 10E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4594600 North, 637509 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20941

Lake : Loon Lake

Applicant : Annette M Teders
6911 Pine Gate Drive
Fort Wayne, IN 46814-8148

Description : A new underwater beach will be constructed in front of the property of the applicant on Loon Lake to provide a good base for swimming/walking. The beach will consist of a however many inches it takes to be able to walk without sinking, of lean, washed pea gravel/sand placed directly on the lakebed. The beach will begin approximately half way in front of property line and will extend across the remaining frontage. It will have a maximum lakeward projection of whatever is allowed by the DNR. Details of the project are contained in information received electronically at the Division of Water on January 22, 2008 and in plans and information received at the Division of Water on

Location : 5274 South 600 West
near Columbia City, Noble Township, Noble County
SW¼, NW¼, NW¼, Section 31, T 33N, R 9E, Ormas Quadrangle
Quad Code: 4108535
UTM Coordinates: Downstream 4570432 North, 622541 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20943

Lake : Jimmerson Lake

Applicant : Kurt Schlabach
13003 Garnet Hill
Fort Wayne, IN 46845-9070

Description : A 60' by 56' underwater beach will be constructed across 60' of the applicant's 60' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on January 24, 2008.

Location : 875 Lane 275; Lot 46 of Ramblin Acres Addition
near Angola, Jamestown Township, Steuben County
NW¼, SE¼, SE¼, Section 30, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4620344 North, 660307 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11